

	Type	Hits	Search Text	DBs
1	BRS	688	(illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	10071	light pipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	9482	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	S2 and S3 and (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	S5 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	32	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	13	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	1	S1 and (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	206	S1 and ((light transmit\$6) or transparent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	33	S1 and (((light transmit\$6) or transparent) (panel or shelf))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	11	("20010055076" "5134549" "5349503" "5461547" "5521797" "5729311" "5775791" "5779338" "6130730" "6174064" "6582091").PN.	US-PGPUB; USPAT; USOCR
13	BRS	0	("6742907").URPN.	USPAT

	Type	Hits	Search Text	DBs
14	IS&R	66	(("3506325") or ("3662381") or ("3737651") or ("3754243") or ("4039894") or ("4112485") or ("4597035") or ("4689726") or ("4748546") or ("4929866") or ("4939625") or ("5034861") or ("5163748") or ("5287252") or ("5301090") or ("6309644") or ("5325271") or ("5353441") or ("5359503") or ("5369555") or ("5450297") or ("5460275") or ("5502623") or ("5590945") or ("5608550") or ("5613751") or ("5618096") or ("5626084") or ("5656014") or ("5774199") or ("5786665") or ("5876107") or ("5894539") or ("5894539") or ("5898814") or ("5902034") or ("5915824") or ("5921652") or ("5980058") or ("5987199") or ("6012820") or ("6027235") or ("6030108") or ("6042244") or ("6076950") or ("6079838") or ("5080105") or ("6139172") or ("6152575") or ("6184628") or ("6204180") or ("6213622") or ("6217188") or ("6231205") or ("6234648") or ("6250774") or ("6255786") or ("6280053") or ("6282821") or ("6283608") or ("6283612") or ("6289150") or ("6292901") or ("6297906") or ("6335999") or ("6347874") or ("6379016")).PN.	USPAT
15	BRS	17811	(illuminat\$5 or light\$4) (shelf or panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	S1 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	213	(shelf or panel) with ((side or edge) lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	28	("3457447" "4074124" "4169675" "4367518" "4521835" "4545007" "4597034" "4941072" "5036436" "5103385" "5241459" "5276600" "5442533" "5453849" "5521797" "5523655" "5561346" "5565958" "5668913" "5671994" "5774278" "5863113" "5892621" "5934795" "5998921" "6186649" "6220722").PN.	US-PGPUB; USPAT; USOCR
19	BRS	1	("6550942").URPN.	USPAT
20	BRS	0	obrock-thomas-a.in.	USPAT
21	BRS	0	obrock-thomas-a.in.	US-PGPUB; USPAT
22	BRS	1	"20030038571"	US-PGPUB
23	BRS	36	312/408.ccls.	US-PGPUB
24	BRS	31	Bienick-craig.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	1	("6422673").PN.	USPAT
26	BRS	46	312/408,112,117,122.ccls.	US-PGPUB
27	BRS	5561	362/31,551,555,559,565,33,127,133,2 25,240,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	974	312/408,112,117,122.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	6532	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	6166	362/602,605,606,608,609,610,611,612 ,613,614,615,551,555,559,565,33,127, 133,225,240,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	6771	S28 or S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	66	S31 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	8	S32 and (((light transmit\$6) or transparent) (panel or shelf))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	367	S31 and light pipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	49	S31 and (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	65	S31 and (edge with lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	100	S31 and ((edge or side) with lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	498	S32 or S33 or S34 or S35 or S36 or S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
39	BRS	383	S38 and (light (tube or pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	357	S39 and @ad < "20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	20977	light (pipe or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	122261	light with (pipe or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	27321	S42 and (housing or casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	3681	S42 and ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	21	S44 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	46	S44 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	3681	S44 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	65	S46 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	7	S49 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	1	S49 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	377	S42 with ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	30	S49 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	95	S42 and ((housing or casing) with (removable cover))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	662	S42 same ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	0	S42 same ((housing or casing) with (removable cover))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	22	S42 same ((housing or casing) with (removable cover))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	3	((("4674211") or ("0385613") or ("4989122"))).PN.	USPAT
58	IS&R	3	((("4674211") or ("3835613") or ("4989122"))).PN.	USPAT
59	BRS	35693	(elongated light source) or (light (pipe or tube)) or (fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	S59 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	8	S52 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	209	S60 with ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	328	362/611,612,613,614.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	202	S59 and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	IS&R	1	("6135620").PN.	USPAT
66	BRS	12	("2922137" "3156841" "3358167" "3772559" "4229780" "4924368" "5291379" "5510965" "5585694").PN.	US-PGPUB; USPAT; USOCR
67	BRS	8	("6135620").URPN.	USPAT
68	BRS	2861810	synthetic or polymeric or copolymeric or plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	237	S68 and (illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	4405	S68 and (light pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	7	S69 and (light pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	35693	(elong\$6 light source) or (light (pipe or tube)) or (fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	19703	(housing or cas\$5) same (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	19703	(housing or cas\$5) same (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	173	S72 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	34865	(light (pipe or tube)) or (fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	13324	(housing or cas\$5) with (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	15900	(fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	37	S77 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	65054	light (guide or panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	51	light (guide or panel) with (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	24	S76 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
83	BRS	3675	S76 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	1476	S78 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	19	S78 and S80 and (edge lit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	191	(fluorescent tube) and (housing or cas\$5) and (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	233	(light pipe) and (housing or cas\$5) and (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	420	S86 or S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	S88 and (light guide panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	55	S88 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	679	362/576,92,125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	9482	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	1	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	136	362/576.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	321	362/92.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	233	362/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	312/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	184	312/223.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	3	matyear-john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB